

PROVISIONAL RESULT SHEET

SHRI DHARAMASTHALA MANJUNATHESWARA COLLEGE OF ENGINEERING & TECHNOLOGY, DHARWAD

Program : B.E.-Civil Engineering

Semester : 4th sem

Exam : Semester End Examination June 2024

Date: 20-07-2024

SI No	USN	Rollno	22UMAC400	22UCVC400	22UCVC401	22UCVC402	22USVC405	22UHVK406	22UCVE421	22UBEK407	22UMAE400	22UCVL403	22UCVL404	22UCVE454	22UMBA401	22UNSK408	SGPA	Total Crs	Earned	crd	CGPA
			GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L					
47	2SD22CV042	128	A+ 9 3	O 10 3	B 6 3	A 8 3	P 4 3	B+ 7 1	A 8 1	O 10 1		B 6 1	A 8 1			PP 0	7.5	20	20	6.16	
48	2SD22CV043	129	B+ 7 3	B 6 3	F 0	F 0	F 0	B 6 1	P 4 1	O 10 1		B 6 1	B 6 1			PP 0	3.55	20	11	5.04	
49	2SD22CV044	213	B+ 7 3	B 6 3	B 6 3	B+ 7 3	P 4 3	B+ 7 1	B 6 1	A+ 9 1		B+ 7 1	A+ 9 1			PP 0	6.4	20	20	5.99	
50	2SD22CV045	214	A 8 3	C 5 3	B+ 7 3	B+ 7 3	C 5 3	B 6 1	B+ 7 1	O 10 1		B+ 7 1	A 8 1			PP 0	6.7	20	20	6.45	
51	2SD22CV046	215	A+ 9 3	A 8 3	A 8 3	B+ 7 3	A 8 3	B+ 7 1	A+ 9 1	O 10 1		A 8 1	A+ 9 1			PP 0	8.15	20	20	8.13	
52	2SD22CV047	236	B+ 7 3	F 0	C 5 3	B 6 3	C 5 3	A 8 1	P 4 1	O 10 1		F 0	P 4 1			PP 0	4.75	20	16	5.76	
53	2SD22CV048	216	C 5 3	F 0	P 4 3	C 5 3	F 0	B 6 1	P 4 1	A+ 9 1		C 5 1	C 5 1			PP 0	3.55	20	14	4.8	
54	2SD22CV049	217	B 6 3	B 6 3	B+ 7 3	A 8 3	B+ 7 3	A 8 1	B+ 7 1	A+ 9 1		A 8 1	A+ 9 1			PP 0	7.15	20	20	6.59	
55	2SD22CV051	219	P 4 3	P 4 3	B 6 3	B+ 7 3	C 5 3	A 8 1	B+ 7 1	A+ 9 1		P 4 1	A 8 1			PP 0	5.7	20	20	5.84	
56	2SD22CV052	132	O 10 3	O 10 3	A+ 9 3	A 8 3	B+ 7 3	B 6 1	A+ 9 1	A 8 1		A 8 1	A+ 9 1			PP 0	8.6	20	20	8.43	
57	2SD22CV053	221	A+ 9 3	O 10 3	A 8 3	A+ 9 3	A 8 3	B+ 7 1	A+ 9 1	O 10 1		A+ 9 1	A+ 9 1			PP 0	8.8	20	20	8.93	
58	2SD22CV054	222	B+ 7 3	B 6 3	B+ 7 3	A 8 3	B+ 7 3	A 8 1	B+ 7 1	O 10 1		A 8 1	A 8 1			PP 0	7.3	20	20	7.66	
59	2SD22CV055	223	B+ 7 3	B+ 7 3	A 8 3	B+ 7 3	B+ 7 3	A 8 1	B+ 7 1	O 10 1		B+ 7 1	A 8 1			PP 0	7.4	20	20	6.94	
60	2SD22CV057	237	B+ 7 3	C 5 3	F 0	B 6 3	F 0	B+ 7 1	B+ 7 1	O 10 1		B+ 7 1	B+ 7 1			PP 0	4.6	20	14	6.07	
61	2SD22CV058	224	O 10 3	O 10 3	O 10 3	A+ 9 3	A 8 3	A 8 1	A 8 1	O 10 1		B+ 7 1	A 8 1			PP 0	9.1	20	20	8.96	
62	2SD22CV059	225	A+ 9 3	O 10 3	O 10 3	A+ 9 3	A+ 9 3	A 8 1	A+ 9 1	O 10 1		A 8 1	A+ 9 1			PP 0	9.25	20	20	8.91	
63	2SD22CV060	226	B+ 7 3	B+ 7 3	P 4 3	F 0	F 0	B 6 1	B+ 7 1	B+ 7 1		B+ 7 1	B+ 7 1			PP 0	4.4	20	14	6.49	
64	2SD22CV061	227	A+ 9 3	A 8 3	A 8 3	B+ 7 3	B 6 3	B+ 7 1	A 8 1	B+ 7 1		B 6 1	B+ 7 1			PP 0	7.45	20	20	7.35	
65	2SD22CV062	228	P 4 3	C 5 3	B 6 3	B 6 3	P 4 3	A 8 1	C 5 1	A+ 9 1		B 6 1	B 6 1			PP 0	4.54	24	20	5.46	
66	2SD22CV063	229	B 6 3	B+ 7 3	C 5 3	F 0	F 0	A 8 1	B+ 7 1	A 8 1		B+ 7 1	B 6 1			PP 0	4.43	23	17	5.26	
67	2SD22CV064	230	O 10 3	A+ 9 3	A 8 3	B+ 7 3	B+ 7 3	A 8 1	A+ 9 1	A+ 9 1		A 8 1	A+ 9 1			PP 0	8.3	20	20	8.09	
68	2SD22CV065	231	B+ 7 3	A 8 3	B+ 7 3	P 4 3	C 5 3	B 6 1	P 4 1	A+ 9 1		B+ 7 1	B+ 7 1			PP 0	6.3	20	20	5.94	
69	2SD22CV066	232	A 8 3	A 8 3	B+ 7 3	A 8 3	B 6 3	A 8 1	A+ 9 1	A+ 9 1		B+ 7 1	A 8 1			PP 0	7.6	20	20	7.6	

S/D
20/7/2024
Controller of Examination

[Signature]
Principal
20/7/2024

Note: Any discrepancy in grade, grade point, SGPA, CGPA to be informed to the Controller of Examinations within a week from the date of the announcement of the result.

PROVISIONAL RESULT SHEET

SHRI DHARAMASTHALA MANJUNATHESWARA COLLEGE OF ENGINEERING & TECHNOLOGY, DHARWAD

Program : B.E.-Civil Engineering

Semester : 4th sem

Exam : Semester End Examination June 2024

Date: 20-07-2024

Sl No	USN	Rollno	22UMAC400	22UCVC400	22UCVC401	22UCVC402	22USCVC405	22UHVK406	22UCVE421	22UBEK407	22UMAE400	22UCVL403	22UCVL404	22UCVE454	22UMBA401	22UNSK408	SGPA	Total	Crs	Earned	crd	CGPA
			GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L						
70	2SD22CV068	233	B+ 7 3	B+ 7 3	B 6 3	C 5 3	P 4 3	A 8 1	B 6 1	A+ 9 1		B 6 1	B+ 7 1			PP 0	6.15	20	20	20	5.89	
71	2SD22CV069	235	F 0	F 0	F 0	F 0	NE	B 6 1	F 0	B 6 1		F 0	B 6 1			PP 0	0.9	20	3	3	4.56	
72	2SD22CV070	234	A+ 9 3	C 5 3	P 4 3	C 5 3	P 4 3	A 8 1	B+ 7 1	A 8 1		F 0	B+ 7 1			PP 0	5.61	23	22	22	6.41	
73	2SD22CV400	234		F 0 Y																		
74	2SD22CV407	237			P 4 3 Y												2.72	25	12	12	5.36	
75	2SD22CV409	238		F 0 Y							AB 0 Y						2.4	25	14	14	4.88	
76	2SD22CV421	243		AB 0 Y							AB 0 Y						1.36	28	8	8	4.91	
77	2SD23CV400	238	A+ 9 3	A 8 3	A+ 9 3	A 8 3	A+ 9 3	A+ 9 1	O 10 1	O 10 1		A 8 1	A 8 1		PP 0	PP 0	8.7	20	20	20	8.8	
78	2SD23CV401	239	P 4 3	NE	F 0	F 0	F 0	B+ 7 1	B 6 1	B+ 7 1		C 5 1	A+ 9 1		PP 0	PP 0	2.3	20	8	8	4.93	
79	2SD23CV402	240	P 4 3	P 4 3	NE	F 0	NE	C 5 1	P 4 1	A 8 1		P 4 1	B+ 7 1		PP 0	PP 0	2.6	20	11	11	4.96	
80	2SD23CV403	202	P 4 3	F 0	B 6 3	B 6 3	P 4 3	C 5 1	B 6 1	A+ 9 1		F 0	P 4 1		PP 0	PP 0	4.2	20	16	16	5.18	
81	2SD23CV404	135	B+ 7 3	B+ 7 3	B+ 7 3	A 8 3	B+ 7 3	A 8 1	A 8 1	O 10 1		A 8 1	B+ 7 1		PP 0	PP 0	7.45	20	20	20	7.33	
82	2SD23CV405	241	C 5 3	P 4 3	B 6 3	C 5 3	P 4 3	B+ 7 1	A 8 1	O 10 1		C 5 1	A+ 9 1		PP 0	PP 0	5.55	20	20	20	5.68	
83	2SD23CV406	242	P 4 3	F 0	C 5 3	P 4 3	F 0	A 8 1	P 4 1	O 10 1		P 4 1	F 0		PP 0	PP 0	3.25	20	13	13	4.85	
84	2SD23CV407	136	A+ 9 3	A+ 9 3	B 6 3	P 4 3	B+ 7 3	A 8 1	B+ 7 1	O 10 1		A 8 1	A+ 9 1		PP 0	PP 0	7.35	20	20	20	6.7	
85	2SD23CV408	137	A 8 3	B 6 3	B+ 7 3	C 5 3	C 5 3	B+ 7 1	C 5 1	A 8 1		B 6 1	A 8 1		PP 0	PP 0	6.35	20	20	20	6.75	
86	2SD23CV409	243	F 0	F 0	F 0	P 4 3	F 0	B+ 7 1	B 6 1	A+ 9 1		F 0	A 8 1		PP 0	PP 0	2.1	20	7	7	5.08	
87	2SD23CV410	244	B 6 3	P 4 3	B+ 7 3	P 4 3	P 4 3	B+ 7 1	C 5 1	O 10 1		F 0	P 4 1		PP 0	PP 0	5.05	20	19	19	5.77	
88	2SD23CV411	138	A+ 9 3	A 8 3	A 8 3	B+ 7 3	A 8 3	A+ 9 1	A+ 9 1	O 10 1		A 8 1	A+ 9 1		PP 0	PP 0	8.25	20	20	20	7.73	
89	2SD23CV412	139	P 4 3	P 4 3	NE	P 4 3	P 4 3	B+ 7 1	B 6 1	A 8 1		B+ 7 1	B 6 1		PP 0	PP 0	4.1	20	17	17	4.62	
90	2SD23CV413	140	B 6 3	F 0	C 5 3	B+ 7 3	P 4 3	A 8 1	C 5 1	O 10 1		B+ 7 1	B+ 7 1		PP 0	PP 0	5.15	20	17	17	5.64	
91	2SD23CV414	245	F 0	NE	NE	P 4 3	NE	B 6 1	P 4 1	B+ 7 1		F 0	A 8 1		NP	PP 0	1.85	20	7	7	5.3	
92	2SD23CV415	141	F 0	F 0	F 0	F 0	F 0	B 6 1	F 0	O 10 1		F 0	F 0		PP 0	PP 0	0.8	20	2	2	4.9	

S/D
20/7/2024

Controller of Examination

Page 4 of 5

Munir
Principal
20/7/2024

Note: Any discrepancy in grade, grade point, SGPA, CGPA to be informed to the Controller of Examinations within a week from the date of the announcement of the result.

PROVISIONAL RESULT SHEET

SHRI DHARAMASTHALA MANJUNATHESWARA COLLEGE OF ENGINEERING & TECHNOLOGY, DHARWAD

Program : B.E.-Civil Engineering

Semester : 4th sem

Exam : Semester End Examination June 2024

Date: 20-07-2024

SI No	USN	Rollno	22UMAC400	22UCVC400	22UCVC401	22UCVC402	22USVC405	22UHVK406	22UCVE421	22UBEK407	22UMAE400	22UCVL403	22UCVL404	22UCVE454	22UMBA401	22UNSK408	SGPA	Total	Crs	Earned	crd	CGPA
			GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L						
93	2SD23CV416	246	A 8 3	A 8 3	B+ 7 3	B+ 7 3	C 5 3	B+ 7 1	A+ 9 1	A 8 1		C 5 1	A 8 1		PP 0	PP 0	7.1	20	20		6.83	
94	2SD23CV417	247	NE	AB	NE	NE	NE	B+ 7 1	NE	AB		NE	NE		PP 0	PP 0	0.35	20	1		4.67	
95	2SD23CV418	248	F 0	C 5 3	B+ 7 3	P 4 3	P 4 3	A 8 1	C 5 1	O 10 1		C 5 1	B+ 7 1		PP 0	PP 0	4.75	20	17		5.62	
96	2SD23CV419	142	C 5 3	B 6 3	C 5 3	C 5 3	F 0	B+ 7 1	B+ 7 1	O 10 1		A 8 1	A 8 1		PP 0	PP 0	5.15	20	17		5.51	
97	2SD23CV420	143	O 10 3	O 10 3	O 10 3	A 8 3	A 8 3	A 8 1	O 10 1	O 10 1		A 8 1	A+ 9 1		PP 0	PP 0	9.15	20	20		8.68	
98	2SD23CV421	144	F 0	P 4 3	C 5 3	P 4 3	P 4 3	A+ 9 1	B+ 7 1	O 10 1		B+ 7 1	A+ 9 1		PP 0	PP 0	4.65	20	17		5.82	
99	2SD23CV422	249	C 5 3	C 5 3	F 0	F 0	NE	B+ 7 1	P 4 1	O 10 1		C 5 1	A+ 9 1		PP 0	PP 0	3.25	20	11		5.04	
100	2SD23CV423	145	C 5 3	B+ 7 3	F 0	F 0	NE	B+ 7 1	B+ 7 1	A+ 9 1		F 0	A 8 1		PP 0	PP 0	3.35	20	10		5.72	
101	2SD23CV424	146	F 0	P 4 3	C 5 3	F 0	B 6 3	C 5 1	C 5 1	A 8 1		F 0	A 8 1		PP 0	PP 0	3.55	20	13		5.37	
102	2SD23CV425	147	B+ 7 3	F 0	B+ 7 3	C 5 3	F 0	B+ 7 1	A 8 1	O 10 1		B+ 7 1	B+ 7 1		PP 0	PP 0	4.8	20	14		6.62	
103	2SD23CV426	250	F 0	F 0	NE	P 4 3	F 0	A 8 1	B+ 7 1	A+ 9 1		C 5 1	A 8 1		PP 0	PP 0	2.45	20	8		5.18	
104	2SD23CV427	251	F 0	NE	F 0	P 4 3	F 0	A 8 1	B+ 7 1	O 10 1		F 0	A 8 1		NP	PP 0	2.25	20	7		5.11	
105	2SD23CV428	201	P 4 3	C 5 3	A 8 3	C 5 3	P 4 3	B+ 7 1	B+ 7 1	A+ 9 1		F 0	P 4 1		PP 0	PP 0	5.25	20	19		5.62	

SND
20/7/2024
Controller of Examination

Principal
20/7/2024

Note: Any discrepancy in grade, grade point, SGPA, CGPA to be informed to the Controller of Examinations within a week from the date of the announcement of the result.