

PROVISIONAL RESULT SHEET

SHRI DHARAMASTHALA MANJUNATHESWARA COLLEGE OF ENGINEERING & TECHNOLOGY,DHARWAD

Program : B.E.-Civil Engineering

Semester : 4th sem

Exam : Semester End Examination August 2023

Date: 20-09-2023

Sl No	USN	Rollno	21UMAC400			21UCVC400			21UCVC401			21UCVC402			21UCVC403			21UHUC401			21UHUC402			21UMAE400			21UCVL404			21UCVL405			21UMBA401			21UCVL406			SGPA	Total Crs	Earned	crd	CGPA			
			GR	GP	CE	B/L	GR	GP	CE	B/L	GR	GP	CE	B/L	GR	GP	CE	B/L	GR	GP	CE	B/L	GR	GP	CE	B/L	GR	GP	CE	B/L	GR	GP	CE	B/L	GR	GP	CE	B/L								
1	2SD20CV082	244																					F 0	Y														2.58	26	13.5	6.13					
2	2SD21CV001	115	S	10	3	S	10	3	A	9	3	S	10	3	S	10	3	S	10	1	B	8	2					S	10	1.5	A	9	1.5			S	10	1					9.61	22	22	8.65
3	2SD21CV002	116	S	10	3	A	9	3	C	7	3	A	9	3	B	8	3	B	8	1	B	8	2					A	9	1.5	S	10	1.5			S	10	1					8.7	22	22	8.65
4	2SD21CV003	117	A	9	3	D	6	3	E	4	3	D	6	3	D	6	3	C	7	1	D	6	2					B	8	1.5	D	6	1.5			A	9	1					6.45	22	22	6.77
5	2SD21CV004	101	D	6	3	D	6	3	E	4	3	F	0	E	4	3	C	7	1	D	6	2					D	6	1.5	C	7	1.5			S	10	1					4.93	22	19	6.35	
6	2SD21CV006	118	C	7	3	D	6	3	D	6	3	B	8	3	E	4	3	B	8	1	C	7	2					B	8	1.5	C	7	1.5			S	10	1					6.7	22	22	6.27
7	2SD21CV007	119	A	9	3	C	7	3	D	6	3	B	8	3	D	6	3	D	6	1	A	9	2					D	6	1.5	C	7	1.5			A	9	1					7.3	22	22	6.73
8	2SD21CV008	217	E	4	3	F	0	C	7	3	C	7	3	F	0	S	10	1	B	8	2					F	0	C	7	1.5			B	8	1					4.48	22	14.5	5.54			
9	2SD21CV009	103	S	10	3	A	9	3	A	9	3	A	9	3	B	8	3	S	10	1	B	8	2					B	8	1.5	C	7	1.5			S	10	1					8.8	22	22	8.37
10	2SD21CV010	104	A	9	3	A	9	3	B	8	3	A	9	3	B	8	3	A	9	1	A	9	2					B	8	1.5	D	6	1.5			S	10	1					8.5	22	22	7.56
11	2SD21CV011	120	F	0	NE	F	0	E	4	3	F	0	E	4	1	C	7	2									D	6	1.5	F	0			S	10	1					1.53	32	8.5	5.03		
12	2SD21CV012	121	F	0	NE	NE	E	4	3	NE	E	4	1	AB													D	6	1.5	E	4	1.5			S	10	1					1.52	27	8	5.17	
13	2SD21CV013	122	NE		NE	NE	NE	NE	NE	NE	NE	NE	NE													NE	NE			A	9	1					0.41	22	1	5.85						
14	2SD21CV014	123	D	6	3	C	7	3	D	6	3	D	6	3	E	4	3	D	6	1	E	4	2					C	7	1.5	C	7	1.5			A	9	1					5.95	22	22	5.83
15	2SD21CV015	218	D	6	3	F	0	D	6	3	E	4	3	F	0	D	6	1	E	4	2					E	4	1.5	D	6	1.5			B	8	1					3.74	27	20	4.83		
16	2SD21CV016	216	F	0	NE	F	0	F	0	F	0	F	0	A	9	1	D	6	2					F	0	E	4	1.5	E	4	1.5			B	8	1					1.21	29	5.5	5.46		
17	2SD21CV017	105	A	9	3	A	9	3	A	9	3	A	9	3	D	6	3	S	10	1	B	8	2					B	8	1.5	A	9	1.5			S	10	1					8.52	22	22	7.58
18	2SD21CV018	106	E	4	3	F	0	E	4	3	C	7	3	F	0	A	9	1	B	8	2					F	0	E	4	1.5	E	4	1.5			S	10	1					3.91	22	14.5	5.76
19	2SD21CV019	124	NE		NE	NE	NE	NE	NE	NE	NE	NE	NE													NE	NE					NE					0	22	0	4.5						
20	2SD21CV020	107	E	4	3	F	0	E	4	3	E	4	3	E	4	3	S	10	1	E	4	2					F	0	D	6	1.5			S	10	1					3.86	22	17.5	5.28		
21	2SD21CV021	201	E	4	3	F	0	E	4	3	E	4	3	F	0	F	0	C	7	2					F	0	E	4	1.5			A	9	1					2.95	22	13.5	5.12				
22	2SD21CV022	108	B	8	3	F	0	D	6	3	B	8	3	C	7	3	C	7	1	B	8	2					D	6	1.5	B	8	1.5			S	10	1					6.41	22	19	6.3	
23	2SD21CV023	125	F	0	NE	NE	F	0	NE	F	0	NE	D	6	1	D	6	2									NE	NE			S	10	1					1.27	22	4	6					

SVP

Controller of Examination

Page 1 of 5

Dipmath

Principal

Note: Any discrepancy in grade, grade point, SGPA, CGPA to be informed to the Controller of Examinations within a week from the date of the announcement of the result.

PROVISIONAL RESULT SHEET

SHRI DHARAMASTHALA MANJUNATHESWARA COLLEGE OF ENGINEERING & TECHNOLOGY, DHARWAD

Program : B.E.-Civil Engineering

Semester : 4th sem

Exam : Semester End Examination August 2023

Date: 20-09-2023

Sl No	USN	Rollno	21UMAC400			21UCVC400			21UCVC401			21UCVC402			21UCVC403			21UHUC401			21UHUC402			21UMAE400			21UCVL404			21UCVL405			21UMBA401			21UCVL406			SGPA	Total Crs	Earned	crd	CGPA
			GR	GP	CE	B/L	GR	GP	CE	B/L	GR	GP	CE	B/L	GR	GP	CE	B/L	GR	GP	CE	B/L	GR	GP	CE	B/L	GR	GP	CE	B/L	GR	GP	CE	B/L	GR	GP	CE	B/L					
24	2SD21CV024	126	NE			NE			NE			NE			NE			NE			NE			NE			AB	0			B	8	1	0.36	22	1	4.89						
25	2SD21CV025	127	C	7	3	F	0		D	6	3	C	7	3	E	4	3	A	9	1	C	7	2		F	0	D	6	1.5	S	10	1	5.18	22	17.5	5.69							
26	2SD21CV026	128	S	10	3	D	6	3	C	7	3	C	7	3	E	4	3	C	7	1	D	6	2		B	8	1.5	C	7	1.5	A	9	1	6.93	22	22	6.68						
27	2SD21CV027	129	F	0		F	0		F	0		E	4	3	F	0		B	8	1	D	6	2		F	0	D	6	1.5	S	10	1	2.32	22	8.5	6.02							
28	2SD21CV028	109	S	10	3	S	10	3	A	9	3	S	10	3	S	10	3	S	10	1	S	10	2		S	10	1.5	S	10	1.5	S	10	1	9.86	22	22	9.7						
29	2SD21CV029	130	B	8	3	C	7	3	D	6	3	C	7	3	E	4	3	E	4	1	D	6	2		C	7	1.5	B	8	1.5	A	9	1	6.52	22	22	5.77						
30	2SD21CV030	110	A	9	3	C	7	3	C	7	3	B	8	3	C	7	3	A	9	1	B	8	2		B	8	1.5	C	7	1.5	S	10	1	7.8	22	22	6.69						
31	2SD21CV031	131	S	10	3	A	9	3	C	7	3	B	8	3	C	7	3	B	8	1	C	7	2		B	8	1.5	B	8	1.5	S	10	1	8.14	22	22	7.94						
32	2SD21CV032	111	B	8	3	C	7	3	D	6	3	B	8	3	B	8	3	B	8	1	B	8	2		B	8	1.5	A	9	1.5	S	10	1	7.75	22	22	7.14						
33	2SD21CV033	132	NE			NE			NE			F	0		NE			E	4	1	E	4	2		NE		F	0		A	9	1	0.95	22	4	5.11							
34	2SD21CV034	133	F	0		C	7	3	D	6	3	B	8	3	E	4	3	A	9	1	B	8	2		D	6	1.5	D	6	1.5	A	9	1	5.77	22	19	5.68						
35	2SD21CV035	134	F	0		NE			E	4	3	D	6	3	AB			E	4	1	C	7	2		F	0	C	7	1.5	A	9	1	2.6	26	11.5	5.72							
36	2SD21CV036	135	D	6	3	D	6	3	E	4	3	D	6	3	E	4	3	D	6	1	B	8	2		D	6	1.5	C	7	1.5	A	9	1	5.84	22	22	5.51						
37	2SD21CV037	136	NE			NE			F	0		NE			NE			S	10	1	NE				NE		B	8	1.5	A	9	1	1.41	22	3.5	5.68							
38	2SD21CV038	202	F	0		F	0		E	4	3	D	6	3	E	4	3	D	6	1	C	7	2		D	6	1.5	E	4	1.5	A	9	1	3.91	22	16	5.73						
39	2SD21CV039	219	A	9	3	S	10	3	B	8	3	B	8	3	A	9	3	S	10	1	B	8	2		A	9	1.5	B	8	1.5	A	9	1	8.75	22	22	7.82						
40	2SD21CV040	220	B	8	3	F	0		E	4	3	D	6	3	E	4	3	E	4	1	C	7	2		F	0	B	8	1.5	A	9	1	4.2	25	17.5	5.29							
41	2SD21CV041	203	S	10	3	B	8	3	S	10	3	S	10	3	S	10	3	S	10	1	S	10	2		S	10	1.5	S	10	1.5	A	9	1	9.68	22	22	8.98						
42	2SD21CV042	221	E	4	3	F	0		D	6	3	F	0		E	4	3	D	6	1	E	4	2		E	4	1.5	D	6	1.5	A	9	1	3.2	25	16	5.14						
43	2SD21CV043	222	D	6	3	F	0		D	6	3	C	7	3	E	4	3	D	6	1	B	8	2		C	7	1.5	B	8	1.5	A	9	1	4.64	29	22	5.55						
44	2SD21CV044	204	S	10	3	A	9	3	S	10	3	A	9	3	S	10	3	S	10	1	A	9	2		S	10	1.5	B	8	1.5	A	9	1	9.45	22	22	9.17						
45	2SD21CV046	224	S	10	3	C	7	3	B	8	3	A	9	3	A	9	3	B	8	1	A	9	2		C	7	1.5	A	9	1.5	A	9	1	8.55	22	22	8.23						
46	2SD21CV047	225	C	7	3	E	4	3	C	7	3	B	8	3	D	6	3	D	6	1	C	7	2		C	7	1.5	C	7	1.5	S	10	1	6.68	22	22	5.69						

S/D

Controller of Examination

Page 2 of 5

Principle

Principal

Note: Any discrepancy in grade, grade point, SGPA, CGPA to be informed to the Controller of Examinations within a week from the date of the announcement of the result.

PROVISIONAL RESULT SHEET

SHRI DHARAMASTHALA MANJUNATHESWARA COLLEGE OF ENGINEERING & TECHNOLOGY, DHARWAD

Program : B.E.-Civil Engineering

Semester : 4th sem

Exam : Semester End Examination August 2023

Date: 20-09-2023

Sl No	USN	Rollno	21UMAC400			21UCVC400			21UCVC401			21UCVC402			21UCVC403			21UHUC401			21UHUC402			21UMAE400			21UCVL404			21UCVL405			21UMBA401			21UCVL406			SGPA	Total	Crs	Earned	crd	CGPA
			GR	GP	CE	B/L	GR	GP	CE	B/L	GR	GP	CE	B/L	GR	GP	CE	B/L	GR	GP	CE	B/L	GR	GP	CE	B/L	GR	GP	CE	B/L	GR	GP	CE	B/L	GR	GP	CE	B/L						
47	2SD21CV048	205	S	10	3	A	9	3	A	9	3	A	9	3	A	9	3	A	9	1	S	10	2		A	9	1.5	A	9	1.5		A	9	1	9.23	22	22	8.9						
48	2SD21CV049	226	E	4	3	F	0	E	4	3	F	0	F	0	A	9	1	D	6	2		F	0	C	7	1.5		A	9	1	2.93	22	11.5	4.85										
49	2SD21CV050	227	F	0	E	4	3	C	7	3	D	6	3	F	0	D	6	1	C	7	2		D	6	1.5	D	6	1.5		A	9	1	3.56	32	20	5.2								
50	2SD21CV051	228	D	6	3	E	4	3	D	6	3	E	4	3	E	4	3	C	7	1	E	4	2		D	6	1.5	D	6	1.5		A	9	1	5.18	22	22	5.3						
51	2SD21CV052	229	D	6	3	E	4	3	E	4	3	B	8	3	D	6	3	C	7	1	C	7	2		C	7	1.5	C	7	1.5		A	9	1	6.14	22	22	5.89						
52	2SD21CV053	206	S	10	3	C	7	3	A	9	3	B	8	3	C	7	3	B	8	1	A	9	2		B	8	1.5	D	6	1.5		A	9	1	8.14	22	22	7.9						
53	2SD21CV054	230	C	7	3	C	7	3	D	6	3	C	7	3	B	8	3	C	7	1	C	7	2		D	6	1.5	D	6	1.5		A	9	1	6.95	22	22	6.85						
54	2SD21CV055	231	A	9	3	D	6	3	C	7	3	B	8	3	B	8	3	C	7	1	B	8	2		A	9	1.5	B	8	1.5		S	10	1	7.84	22	22	7.3						
55	2SD21CV056	207	B	8	3	F	0	D	6	3	C	7	3	F	0	F	0	F	0	C	7	2		D	6	1.5	C	7	1.5		S	10	1	4.84	22	15	5.54							
56	2SD21CV057	232	F	0	F	0	F	0	E	4	3	F	0	E	4	1	E	4	1	E	4	2		D	6	1.5	C	7	1.5		A	9	1	2.39	22	10	4.91							
57	2SD21CV058	112	S	10	3	A	9	3	A	9	3	S	10	3	B	8	3	A	9	1	S	10	2		A	9	1.5	A	9	1.5		S	10	1	9.27	22	22	8.51						
58	2SD21CV059	208	A	9	3	C	7	3	C	7	3	C	7	3	B	8	3	B	8	1	B	8	2		B	8	1.5	C	7	1.5		S	10	1	7.75	22	22	7.13						
59	2SD21CV060	209	E	4	3	F	0	F	0	F	0	F	0	F	0	D	6	1	E	4	2		E	4	1.5	F	0		A	9	1	1.86	22	8.5	5.51									
60	2SD21CV061	233	NE			NE			NE			NE			NE			NE			NE				NE			NE			NE			0	22	0	5.67							
61	2SD21CV062	234	D	6	3	F	0	D	6	3	C	7	3	F	0	S	10	1	D	6	2		E	4	1.5	D	6	1.5		S	10	1	3.71	28	16	5.62								
62	2SD21CV063	235	B	8	3	F	0	B	8	3	D	6	3	C	7	3	D	6	1	C	7	2		E	4	1.5	C	7	1.5		A	9	1	6.02	22	19	5.98							
63	2SD21CV064	210	S	10	3	A	9	3	A	9	3	A	9	3	A	9	3	A	9	1	A	9	2		C	7	1.5	B	8	1.5		A	9	1	8.93	22	22	8.01						
64	2SD21CV065	211	S	10	3	B	8	3	S	10	3	S	10	3	A	9	3	A	9	1	A	9	2		A	9	1.5	A	9	1.5		A	9	1	9.27	22	22	9.38						
65	2SD21CV066	113	A	9	3	D	6	3	C	7	3	A	9	3	C	7	3	S	10	1	C	7	2		D	6	1.5	D	6	1.5		S	10	1	7.55	22	22	5.86						
66	2SD21CV067	212	C	7	3	F	0	A	9	3	C	7	3	D	6	3	A	9	1	B	8	2		D	6	1.5	B	8	1.5		A	9	1	6.45	22	19	5.82							
67	2SD21CV068	213	E	4	3	F	0	E	4	3	F	0	F	0	A	9	1	D	6	2		F	0	F	0		F	0		A	9	1	2.45	22	10	5.19								
68	2SD21CV069	214	S	10	3	A	9	3	B	8	3	A	9	3	B	8	3	S	10	1	A	9	2		B	8	1.5	C	7	1.5		B	8	1	8.66	22	22	7.38						
69	2SD21CV070	114	S	10	3	S	10	3	S	10	3	S	10	3	S	10	3	S	10	1	S	10	2		S	10	1.5	B	8	1.5		S	10	1	9.86	22	22	8.79						

Controller of Examination

Page 3 of 5

Principal

Note: Any discrepancy in grade, grade point, SGPA, CGPA to be informed to the Controller of Examinations within a week from the date of the announcement of the result.

PROVISIONAL RESULT SHEET

SHRI DHARAMASTHALA MANJUNATHESWARA COLLEGE OF ENGINEERING & TECHNOLOGY, DHARWAD

Program : B.E.-Civil Engineering

Semester : 4th sem

Exam : Semester End Examination August 2023

Date: 20-09-2023

Sl No	USN	Rollno	21UMAC400	21UCVC400	21UCVC401	21UCVC402	21UCVC403	21UHUC401	21UHUC402	21UMAE400	21UCVL404	21UCVL405	21UMBA401	21UCVL406	SGPA	Total Crs	Earned	crd	CGPA
			GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L					
70	2SD21CV071	236	NE	NE	NE	NE	NE	E 4 1	NE		F 0	E 4 1.5		NE	0.9	29	6.5	4.89	
71	2SD21CV072	237	C 7 3	F 0	C 7 3	C 7 3	E 4 3	C 7 1	D 6 2		C 7 1.5	B 8 1.5		A 9 1	5.7	22	19	5.8	
72	2SD21CV073	238	AB	AB	NE	E 4 3	NE	E 4 1	D 6 2		F 0	D 6 1.5		B 8 1	2.18	28	12.5	4.71	
73	2SD21CV074	137	S 10 3	S 10 3	B 8 3	A 9 3	C 7 3	A 9 1	C 7 2		B 8 1.5	B 8 1.5		S 10 1	8.59	22	22	8.24	
74	2SD21CV075	215	D 6 3	F 0	D 6 3	C 7 3	F 0	B 8 1	C 7 2		F 0	F 0		A 9 1	3.14	28	13	5.99	
75	2SD21CV076	239	A 9 3	E 4 3	C 7 3	E 4 3	E 4 3	B 8 1	A 9 2		D 6 1.5	B 8 1.5		A 9 1	6.36	22	22	7.39	
76	2SD22CV400	240	E 4 3	F 0	D 6 3	D 6 3	E 4 3	D 6 1	E 4 2		D 6 1.5	C 7 1.5	PP 0	A 9 1	4.66	22	19	5.44	
77	2SD22CV401	241	B 8 3	C 7 3	C 7 3	B 8 3	C 7 3	A 9 1	B 8 2		C 7 1.5	B 8 1.5	PP 0	S 10 1	7.66	22	22	7.16	
78	2SD22CV402	138	C 7 3	C 7 3	D 6 3	B 8 3	F 0	C 7 1	B 8 2		A 9 1.5	C 7 1.5	PP 0	S 10 1	6.41	22	19	6.55	
79	2SD22CV403	153	B 8 3	A 9 3	A 9 3	S 10 3	C 7 3	A 9 1	A 9 2		A 9 1.5	A 9 1.5	PP 0	S 10 1	8.77	22	22	8.36	
80	2SD22CV404	242	D 6 3	F 0	F 0	D 6 3	E 4 3	C 7 1	C 7 2		D 6 1.5	C 7 1.5	PP 0	B 8 1	4.39	22	16	6	
81	2SD22CV405	139	D 6 3	C 7 3	C 7 3	B 8 3	D 6 3	C 7 1	B 8 2		B 8 1.5	B 8 1.5	PP 0	S 10 1	7.23	22	22	6.99	
82	2SD22CV406	140	B 8 3	B 8 3	B 8 3	S 10 3	A 9 3	C 7 1	S 10 2		S 10 1.5	A 9 1.5	PP 0	S 10 1	8.84	22	22	8.23	
83	2SD22CV407	243	F 0	F 0	F 0	C 7 3	F 0	E 4 1	D 6 2		D 6 1.5	D 6 1.5	PP 0	A 9 1	2.91	22	10	5.4	
84	2SD22CV408	141	B 8 3	B 8 3	C 7 3	A 9 3	C 7 3	S 10 1	A 9 2		A 9 1.5	A 9 1.5	PP 0	S 10 1	8.27	22	22	8.01	
85	2SD22CV409	244	F 0	F 0	E 4 3	E 4 3	E 4 3	E 4 1	D 6 2		D 6 1.5	D 6 1.5	PP 0	A 9 1	3.59	22	16	5.03	
86	2SD22CV410	142	D 6 3	C 7 3	D 6 3	C 7 3	C 7 3	C 7 1	B 8 2		D 6 1.5	A 9 1.5	PP 0	S 10 1	7.02	22	22	6.18	
87	2SD22CV411	245	C 7 3	F 0	AB	E 4 3	F 0	B 8 1	C 7 2		F 0	B 8 1.5	PP 0	A 9 1	3.45	22	11.5	6.02	
88	2SD22CV412	152	S 10 3	A 9 3	A 9 3	A 9 3	B 8 3	C 7 1	B 8 2		S 10 1.5	S 10 1.5	PP 0	S 10 1	9	22	22	8.09	
89	2SD22CV413	246	B 8 3	D 6 3	D 6 3	D 6 3	E 4 3	E 4 1	D 6 2		C 7 1.5	A 9 1.5	PP 0	A 9 1	6.32	22	22	6.15	
90	2SD22CV414	143	D 6 3	D 6 3	E 4 3	C 7 3	E 4 3	C 7 1	A 9 2		C 7 1.5	B 8 1.5	PP 0	S 10 1	6.3	22	22	6.17	
91	2SD22CV415	144	D 6 3	F 0	D 6 3	C 7 3	E 4 3	D 6 1	C 7 2		B 8 1.5	A 9 1.5	PP 0	A 9 1	5.61	22	19	5.62	
92	2SD22CV416	145	A 9 3	A 9 3	C 7 3	S 10 3	B 8 3	B 8 1	A 9 2		S 10 1.5	A 9 1.5	PP 0	S 10 1	8.8	22	22	8.16	

SIX

Controller of Examination

Page 4 of 5

Prinath

Principal

Note: Any discrepancy in grade, grade point, SGPA, CGPA to be informed to the Controller of Examinations within a week from the date of the announcement of the result.

PROVISIONAL RESULT SHEET

SHRI DHARAMASTHALA MANJUNATHESWARA COLLEGE OF ENGINEERING & TECHNOLOGY, DHARWAD

Program : B.E.-Civil Engineering

Semester : 4th sem

Exam : Semester End Examination August 2023

Date: 20-09-2023

SI No	USN	Rollno	21UMAC400	21UCVC400	21UCVC401	21UCVC402	21UCVC403	21UHUC401	21UHUC402	21UMAE400	21UCVL404	21UCVL405	21UMBA401	21UCVL406	SGPA	Total Crs	Earned crd	CGPA
			GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L	GR GP CE B/L				
93	2SD22CV417	247	F 0	F 0	E 4 3	D 6 3	E 4 3	E 4 1	E 4 2		F 0	C 7 1.5	PP 0	B 8 1	3.3	22	14.5	5.38
94	2SD22CV418	146	D 6 3	D 6 3	F 0	E 4 3	E 4 3	C 7 1	D 6 2		C 7 1.5	A 9 1.5	PP 0	A 9 1	5.09	22	19	5.27
95	2SD22CV419	248	E 4 3	F 0	F 0	E 4 3	E 4 3	E 4 1	D 6 2		B 8 1.5	C 7 1.5	PP 0	A 9 1	3.8	22	16	5.21
96	2SD22CV420	147	D 6 3	F 0	E 4 3	C 7 3	F 0	C 7 1	B 8 2		D 6 1.5	A 9 1.5	PP 0	S 10 1	4.84	22	16	6.01
97	2SD22CV421	249	F 0	F 0	E 4 3	D 6 3	F 0	D 6 1	D 6 2		D 6 1.5	A 9 1.5	PP 0	A 9 1	3.61	22	13	5.41
98	2SD22CV422	148	C 7 3	F 0	D 6 3	B 8 3	D 6 3	D 6 1	A 9 2		C 7 1.5	C 7 1.5	PP 0	S 10 1	6.18	22	19	6.26
99	2SD22CV423	149	C 7 3	C 7 3	D 6 3	C 7 3	E 4 3	B 8 1	C 7 2		B 8 1.5	A 9 1.5	PP 0	S 10 1	6.84	22	22	6.63
100	2SD22CV424	250	A 9 3	A 9 3	A 9 3	A 9 3	C 7 3	S 10 1	A 9 2		A 9 1.5	A 9 1.5	PP 0	A 9 1	8.77	22	22	7.94
101	2SD22CV425	150	C 7 3	C 7 3	E 4 3	B 8 3	D 6 3	C 7 1	A 9 2		C 7 1.5	A 9 1.5	PP 0	S 10 1	7.05	22	22	6.9
102	2SD22CV426	151	F 0	NE	E 4 3	D 6 3	F 0	F 0	C 7 2		E 4 1.5	D 6 1.5	NP	S 10 1	3.14	22	12	5.29
103	2SD22CV427	251	C 7 3	F 0	B 8 3	C 7 3	D 6 3	E 4 1	C 7 2		C 7 1.5	A 9 1.5	PP 0	S 10 1	6.18	22	19	6.26

SR

Controller of Examination

Page 5 of 5

Principalth
Principal

Note: Any discrepancy in grade, grade point, SGPA, CGPA to be informed to the Controller of Examinations within a week from the date of the announcement of the result.